



LINE CONDUCTION

Model Name : LDA75F-18

Model No. :

Serial No. :

Points : 4

Detector : PEAK/QP/Ave.

Line Mode : VA/VB

Limit1: [CISPR Pub22] Class B(QP)

Limit2: [CISPR Pub22] Class B(Ave.)

Power Supply : 230V(1 Phase) 50Hz


Temp. : 25degC

Humi. : 44%

Date : 2003/4/9 7:59

Test Equip. : R3132,ESPC

Comment : Io=100%



Frequency [MHz]	Meter Reading (QP) [dBμV]	Meter Reading (Ave.) [dBμV]	Factor [dB]	Level (QP) [dBμV]	Level (Ave.) [dBμV]	Line	Limit (QP) [dBμV]	Limit (Ave.) [dBμV]	Margin (QP)[dB]	Margin (Ave.) [dB]
0.1526	44.9	26.2	10.0	54.9	36.2	VA	65.9	55.9	11.0	19.7
0.2172	37.5	16.4	10.0	47.5	26.4	VB	62.9	52.9	15.4	26.5
0.9478	26.1	10.1	10.1	36.2	20.2	VB	56.0	46.0	19.8	25.8
17.4633	34.5	31.3	10.8	45.3	42.1	VB	60.0	50.0	14.7	7.9