

*****Cosmos Corp*****

<<< Radiated Emission >>>

17 December, 1996 11:25

Page 1

Model : LDC60F-1
 Serial No. : 645242401S
 Standard : EN55022 Class B
 Condition File : 10m
 Condition : Operated
 Remarks : EMI Test Receiver : ESVS (ROHDE&SCHWARZ) /
 : Spectrum Analyzer: FSB (ROHDE&SCHWARZ) /
 : EMI Test System : TS9949 (TOYO) /
 AC Power : 230 V 50 Hz
 Temperature : 12 deg.
 Humidity : 76 %
 Operator : H. Wakabayashi


----- Final Result -----





- Horizontal Polarization -


No.	Frequency [MHz]	Reading [dBuV]	c.f. [dB]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]
1	240.001	24.7	-14.9	9.8	37.0	27.2
2	299.830	25.1	-12.6	12.5	37.0	24.5





- Vertical Polarization -



No.	Frequency [MHz]	Reading [dBuV]	c.f. [dB]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]
3	48.246	36.5	-19.9	16.6	30.0	13.4
4	74.022	26.7	-21.6	5.1	30.0	24.9
5	94.775	31.4	-18.3	13.1	30.0	16.9
6	158.974	27.9	-16.8	11.1	30.0	18.9











***** Cosmos Corp. *****
 <<< Conducted Emission >>>

17 December, 1996 14:32

Page 1

Model : LDC60F-1
 Serial No. : 645242401S
 Standard : EN55022 Class B
 Condition File : EN55022
 : Operated
 Remark :
 :
 :
 :
 AC Power : 230 V 50 Hz
 Temperature : 13 deg.
 Humidity : 80 %
 Operator : H.Wakabayashi

----- Results -----

No.	Frequency [MHz]	Reading		c.f. [dB]	Result		Limit		Margin	
		QP [dBuV]	AV [dBuV]		QP [dBuV]	AV [dBuV]	QP [dBuV]	AV [dBuV]	QP [dB]	AV [dB]
Phase N										
1	0.15512	41.6	28.7	9.9	51.5	38.6	65.7	55.7	14.2	17.1
2	0.26421	39.2	30.4	9.8	49.0	40.2	61.3	51.3	12.3	11.1
3	0.35766	34.0	30.3	9.8	43.8	40.1	58.8	48.8	15.0	8.7
4	29.71399	15.5	10.0	10.7	26.2	20.7	60.0	50.0	33.8	29.3


Cosmos Corp.
EMC Labo.

<<< Conducted Emission >>>

Date: 17 December, 1996

Model : LDC60F-1
Serial No. : 645242401S
Remarks :

Standard : EN55022 Class B
Operator : H.Wakabayashi




Cosmos Corp.
EMC Labo.

<<< Conducted Emission >>>

Date/Time: 17 December, 1996 14:27

Model : LDC60F-1
Serial No. : 645242401S
Remarks :

Standard : EN55022 Class B
Operator : H.Wakabayashi



***** Cosmos Corp. *****

<<< Conducted Emission >>>

17 December, 1996 14:38

Page 1

Model : LDC60F-1
 Serial No. : 645242401S
 Standard : EN55022 Class B
 Condition File : EN55022
 : Operated

Remark :

AC Power : 230 V 50 Hz
 Temperature : 13 deg.
 Humidity : 80 %
 Operator : H.Wakabayashi

----- Results -----

No.	Frequency	Reading		c.f.	Result		Limit		Margin	
		QP	AV		QP	AV	QP	AV	QP	AV
	[MHz]	[dBuV]	[dBuV]	[dB]	[dBuV]	[dBuV]	[dBuV]	[dBuV]	[dB]	[dB]
Phase L1										
1	0.17361	42.3	25.8	9.9	52.2	35.7	64.8	54.8	12.6	19.1
2	0.26686	40.5	31.7	9.8	50.3	41.5	61.2	51.2	10.9	9.7
3	0.35532	33.4	30.4	9.8	43.2	40.2	58.8	48.8	15.6	8.6
4	29.67210	16.8	11.3	10.7	27.5	22.0	60.0	50.0	32.5	28.0


Cosmos Corp.
EMC Labo.

<<< Conducted Emission >>>

Date: 17 December, 1996

Model : LDC60F-1
Serial No. : 645242401S
Remarks :

Standard : EN55022 Class B
Operator : H.Wakabayashi



Cosmos Corp.
EMC Labo.

<<< Conducted Emission >>>

Date/Time: 17 December, 1996 14:34

Model : LDC60F-1
Serial No. : 645242401S
Remarks :

Standard : EN55022 Class B
Operator : H.Wakabayashi

