



EXTRA TEST DATA OF LHA75F-48

*Regulated DC Power Supply
Feb 20, 2021*

COSEL CO.,LTD.




CONTENTS

| | |
|--|---|
| 1.Inrush Current (enlargement) | 1 |
| 2.Dynamic Line Regulation | 2 |
| 3.Overtoltage Protection (waveform) | 3 |
| 4.Hiccup cycle (by Overcurrent Protection) | 4 |
| 5.Figure of Testing Circuitry | 5 |

(Final Page 5)

COSEL

| | | | |
|--------|------------------------------|-------------------|------|
| | | | |
| Model | LHA75F-48 | | |
| Item | Inrush Current (enlargement) | Temperature | 25°C |
| Object | _____ | Testing Circuitry | A |




COSEL

| | | | |
|--------|-------------------------|-------------------|------|
| | | | |
| Model | LHA75F-48 | Temperature | 25°C |
| Item | Dynamic Line Regulation | Testing Circuitry | A |
| Object | _____ | | |

Input Voltage
[200V/div]

Output Voltage
[50mV/div]




Input Voltage :
100V \Leftrightarrow 230V

Frequency : 50Hz
Load : 100%

Time
[400ms/div]

Input Voltage
[200V/div]



Output Voltage
[50mV/div]




Input Voltage :
230V \Leftrightarrow 100V

Frequency : 50Hz
Load : 100%

Time
[400ms/div]



COSEL

COSEL