



EXTRA TEST DATA OF PJA150F-12

*Regulated DC Power Supply
Jul 20, 2020*

COSEL CO.,LTD.




CONTENTS

1.Inrush Current (enlargement)	1
2.Dynamic Line Regulation	2
3.Overvoltage Protection (waveform)	3
4.Hiccup cycle (by Overcurrent Protection)	4
5.Power Consumption (by Input Voltage)	5
6.Figure of Testing Circuitry	6

(Final Page 6)



COSEL

Model	PJA150F-12		
Item	Inrush Current (enlargement)	Temperature	25°C
Object		Testing Circuitry	A



COSEL

Model	PJA150F-12	Temperature	25°C
Item	Dynamic Line Regulation	Testing Circuitry	A
Object	_____		




COSEL

Model	PJA150F-12	Temperature	25°C
Item	Over Voltage Protection	Testing Circuitry	A
Object		Input Voltage : 115V	

Output Voltage
[2V/div]


GND




Load : 0%

Overvoltage protection
value : 15.5VTime
[40ms/div]Output Voltage
[2V/div]

GND



Load : 100%


Overvoltage protection
value : 15.4VTime
[20ms/div]

COSEL

Model	PJA150F-12	Temperature	25°C
Item	Hiccup cycle (by Overcurrent Protection)	Testing Circuitry	A
Object	_____	Load	: Short

Output Current
[5A/div]

GND




Input Voltage : 115V

Short-circuit
current : 23A

ON Time : 63ms

Short circuit
period : 363msTime
[200ms/div]Output Current
[5A/div]


GND



Input Voltage : 230V

Short-circuit
current : 23A

ON Time : 97ms

Short circuit
period : 404msTime
[200ms/div]

COSEL

Model	PJA150F-12-R																
Item	Input voltage - Power consumption	Temperature	25°C														
Object	_____	Testing Circuitry	-														
1.Graph		Load :0%															
<p>Power consumption [W]</p> <p>Input Voltage [V]</p>		2.Values															
		<table><tr><th>Input voltage [V]</th><th>Power consumption [W]</th></tr><tr><td>85</td><td>0.01</td></tr><tr><td>100</td><td>0.02</td></tr><tr><td>115</td><td>0.03</td></tr><tr><td>200</td><td>0.08</td></tr><tr><td>230</td><td>0.16</td></tr><tr><td>264</td><td>0.27</td></tr></table>		Input voltage [V]	Power consumption [W]	85	0.01	100	0.02	115	0.03	200	0.08	230	0.16	264	0.27
Input voltage [V]	Power consumption [W]																
85	0.01																
100	0.02																
115	0.03																
200	0.08																
230	0.16																
264	0.27																
Reducing standby power is possible by OFF signal of the remote control.																	

