



## DATA SHEET

Model		TECS20F-15	Date	24-Mar-25
Test		EMI Line conduction & Radiated emission	Temp.	25 degreeC
			Humid.	40 %RH
			Tested by	T.Sakuma




Frequency	Line	Level		Limit		Margin		Pass/Fail	Remark
MHz		dB(μV)		dB(μV)		dB			
		QP	AV	QP	AV	QP	AV		
0.7	L1	45.1	30	56	46	10.9	16	Pass	




Frequency	Polarization	Stability	Level	Limit	Margin	Pass/Fail	Height	Angle	Remark
MHz			dB(μV/m)	dB(μV/m)	dB		cm	deg	
			QP	QP	QP				
47.031	V	Stable	33.7	40	6.3	Pass	100.2	2.2	
140	V	Stable	31.1	40	8.9	Pass	101.8	129.6	

DATA SHEET		Date	24-Mar-25
Model	Circuit used for measurement	Temp.	25 degreeC
Test	EMI Line conduction & Radiated emission	Humid.	40 %RH
		Tested by	T.Sakuma

### 1. Line conduction



### 2. Radiated emission



## Conditions

Test : EMI  
Model Name : TECS20F-15

### 1.LINE CONDUCTION



### 2.RADIATED EMISSION

