



| DATA SHEET | | Date | 16-Jul-21 |
|------------|--|-----------|-------------|
| Model | WBA35B-5 | Temp. | 25 degreeC |
| Test | EMI Line conduction & Radiated emission | Humid. | 40 %RH |
| | | Tested by | R.Takahashi |




| Frequency | Line | Level | | Limit | | Margin | | Pass/Fail | Remark |
|-----------|------|--------|------|--------|------|--------|-----|-----------|--------|
| MHz | | dB(μV) | | dB(μV) | | dB | | | |
| | | QP | AV | QP | AV | QP | AV | | |
| 0.175 | L1 | 60.2 | 45 | 64.7 | 54.7 | 4.5 | 9.7 | Pass | |
| 0.177 | N | 61 | 45.2 | 64.6 | 54.6 | 3.6 | 9.4 | Pass | |




| Frequency MHz | Polarization | Stability | Level | Limit | Margin | Pass/Fail | Height cm | Angle deg | Remark |
|------------------|--------------|-----------|----------------|----------------|----------|-----------|--------------|--------------|--------|
| | | | dB(μV/m) QP | dB(μV/m) QP | dB QP | | | | |
| 58.395 | V | Stable | 29.5 | 40 | 10.5 | Pass | 100 | 147 | |
| 140.218 | V | Stable | 28.4 | 40 | 11.6 | Pass | 100.2 | 0 | |
| 176.78 | V | Stable | 28 | 40 | 12 | Pass | 100.2 | 359 | |

| DATA SHEET | | Date | 16-Jul-21 |
|------------|--|-----------|-------------|
| Model | Circuit used for measurement | Temp. | 25 degreeC |
| Test | EMI Line conduction & Radiated emission | Humid. | 40 %RH |
| | | Tested by | R.Takahashi |

1. Line conduction



2. Radiated emission




Conditions

Test : EMI
Model Name: WBA35B

○Photographs of Test Set-Up

1. LINE CONDUCTION



2. RADIATED EMISSION

