



| DATA SHEET |  | Date      | 16-Jul-21   |
|------------|--|-----------|-------------|
| Model      | WBA75B-48                                  | Temp.     | 25 degreeC  |
| Test       | EMI<br>Line conduction & Radiated emission | Humid.    | 40 %RH      |
|            |  | Tested by | R.Takahashi |




| Frequency | Line | Level  |      | Limit  |      | Margin |      | Pass/Fail | Remark |
|-----------|------|--------|------|--------|------|--------|------|-----------|--------|
| MHz       |      | dB(μV) |      | dB(μV) |      | dB     |      |           |        |
|           |      | QP     | AV   | QP     | AV   | QP     | AV   |           |        |
| 0.199     | L1   | 53.8   | 38.2 | 63.6   | 53.6 | 9.8    | 15.4 | Pass      |        |
| 0.2       | N    | 53.8   | 39.2 | 63.6   | 53.6 | 9.8    | 14.4 | Pass      |        |




| Frequency<br>MHz | Polarization | Stability | Level          | Limit          | Margin   | Pass/Fail | Height<br>cm | Angle<br>deg | Remark |
|------------------|--------------|-----------|----------------|----------------|----------|-----------|--------------|--------------|--------|
|                  |              |           | dB(μV/m)<br>QP | dB(μV/m)<br>QP | dB<br>QP |           |              |              |        |
| 136.268          | V            | Stable    | 27.3           | 40             | 12.7     | Pass      | 100.2        | 350          |        |

| DATA SHEET |  | Date      | 16-Jul-21   |
|------------|--|-----------|-------------|
| Model      | Circuit used for measurement               | Temp.     | 25 degreeC  |
| Test       | EMI<br>Line conduction & Radiated emission | Humid.    | 40 %RH      |
|            |  | Tested by | R.Takahashi |

## 1. Line conduction



## 2. Radiated emission




## Conditions

Test : EMI  
Model Name: WBA75B

## ○Photographs of Test Set-Up

### 1. LINE CONDUCTION



### 2. RADIATED EMISSION

