

RADIATED EMISSION

Model Name : YAW1012E

Model No. :

Serial No. :

Detector : PEAK

Bands : 8

Polarization : Hori. & Vert.

Limit1: [EN 55022] Class B<3m>


Temperature : 25deg C

Humidity : 50%

Comment : AC 230V LOAD 100%

Date : 1999/1/12 20:43

EMI Receiver(s) : R3261A



Frequency [MHz]	Meter Reading [dBμV]	Antenna Factor[dB]	Cable Loss[dB]	Level [dBμV/m]	Angle[°]	Height [cm]	Pola.	Limit [dBμV/m]	Margin [dB]
57.682	50.8	5.1	-23.1	32.8	2	130	Vert.	40.0	7.2

RADIATED EMISSION

Model Name : YAW1012E

Model No. :

Serial No. :

Detector : QP

Points : 1

Polarization : Vertical

Limit1: [EN 55022] Class B<3m>


Temperature : 25deg C

Humidity : 50%

Comment : AC 230V LOAD 100%

Date : 1999/1/12 20:43

EMI Receiver(s) : ESPC



Frequency [MHz]	Meter Reading [dBμV]	Antenna Factor[dB]	Cable Loss[dB]	Level [dBμV/m]	Angle[°]	Height [cm]	Pola.	Limit [dBμV/m]	Margin [dB]
57.682	50.8	5.1	-23.1	32.8	2	130	Vert.	40.0	7.2

LINE CONDUCTION

Model Name : YAW1012E

Model No. :

Serial No. :

Detector : PEAK

Bands : 4

Line Mode : VA/VB

Limit1: [EN 55022] Class B(QP)

Limit2: [EN 55022] Class B(Ave.)


Temperature : 25deg C

Humidity : 50%

Comment : AC230V,LOAD 100%

Date : 1999/1/8 14:43

EMI Receiver(s) : R3261A



Frequency [MHz]	Meter Reading (QP) [dBμV]	Meter Reading (Ave.) [dBμV]	Factor [dB]	Level (QP) [dBμV]	Level (Ave.) [dBμV]	Line	Limit (QP) [dBμV]	Limit (Ave.) [dBμV]	Margin (QP)[dB]	Margin (Ave.) [dB]
0.1843	30.2	20.3	10.3	40.5	30.6	VA	64.3	54.3	23.8	23.7
10.6276	29.5	29.0	10.5	40.0	39.5	VB	60.0	50.0	20.0	10.5

LINE CONDUCTION

Model Name : YAW1012E

Model No. :

Serial No. :

Detector : QP/Ave.

Points : 2

Line Mode : VA/VB

Limit1: [EN 55022] Class B(QP)

Limit2: [EN 55022] Class B(Ave.)


Temperature : 25deg C

Humidity : 50%

Comment : AC230V,LOAD 100%

Date : 1999/1/8 14:43

EMI Receiver(s) : R3261A,ESPC



Frequency [MHz]	Meter Reading (QP) [dBμV]	Meter Reading (Ave.) [dBμV]	Factor [dB]	Level (QP) [dBμV]	Level (Ave.) [dBμV]	Line	Limit (QP) [dBμV]	Limit (Ave.) [dBμV]	Margin (QP)[dB]	Margin (Ave.) [dB]
0.1843	30.2	20.3	10.3	40.5	30.6	VA	64.3	54.3	23.8	23.7
10.6276	29.5	29.0	10.5	40.0	39.5	VB	60.0	50.0	20.0	10.5